FIG. 1

DODITEC ASILGE




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6






FIG.7









that the mar it is shown that that it with the call of the

FIG.9



The state of the same than the state that the state of the same of

FIG. 10






FIG. 12






FIG. 13



The first was refer that the fact that the title for the

FIG. 14



in the state of th

FIG. 15





FIG. 16(a)

FIG. 16(b)







FIG. 17








FIG. 19(a)

FIG. 19(b)








IMAGE PLANE OPERATING SWITCH 310 DISPLAY PART 307 FIG. 22(c) DISPLAY PART 307 IMAGE PART ( x NOT DISPLAYED IMAGE Display Area FIG. 22(b) IMAGE PLANE OPERATING SWITCH 310 UND I SPLAY I NG AREA FIG. 22(a IMAGE PLANE OPERATING SWITCH 310 DISPLAY PART 307 88 88 88 88

The control of the co

APPROVED O.G. FIG.

BY CLASS SUBCLASS

DRAFTSMAN




FIG. 24(a)

## IMAGE PICKUP MODE





FIG. 24(b)

## IMAGE REPRODUCING MODE



The of the observate from that the the the man of the tree of the

FIG. 25(a)

IMAGE PICKUP MODE




FIG. 25(b)

IMAGE REPRODUCING MODE

DISPLAY PART 307




FIG. 26(a)




FIG. 26(b)





FIG. 27



That there eally made from that that H white them also the fitted

Till till side of of side till of the till





FIG. 29(b)


IMAGE REPRODUCING MODE

IMAGE DISPLAY AREA × DISPLAY PART 407

IMAGE PICKUP MODE


FIG. 29(a)





The control of the co





SCANNED 2